

CLEAN VERSION OF REWRITTEN, ADDED, AND/OR CANCELLED

CLAIMS PURSUANT TO 37 C.F.R. §1.121 (c)(1)(i)

D1 7. (Amended once) An isomerized conjugated linoleic acid composition comprising at least fifty percent 9,11-octadecadienoic acid and 10,12-octadecadienoic acid, said isomerized linoleic acid composition being characterized in including less than one percent 11,13-octadecadienoic and 8,10-octadecadienoic acid isomers expressed as peak area percentage.

D2 10. (Amended once) An isomerized conjugated linoleic acid composition comprising at least fifty percent 9,11-octadecadienoic acid and 10,12-octadecadienoic acid, said isomerized linoleic acid composition being characterized in including less than one percent 11,13-octadecadienoic and 8,10-octadecadienoic, and trans-trans-octadecadienoic acid isomers expressed as peak area percentage.

D3 13. (Amended once) A food product comprising isomerized conjugated linoleic acid, said isomerized linoleic acid composition being characterized in including at least 50% 9,11-octadecadienoic and 10,12-octadecadienoic acid isomers and less than one percent 11,13-octadecadienoic and 8,10-octadecadienoic acid isomers expressed as peak area percentage.

D4 16. (Amended once) A food supplement comprising isomerized conjugated linoleic acid, said isomerized linoleic acid composition being characterized in including at least 50% 9,11-octadecadienoic and 10,12-octadecadienoic acid isomers and less than one percent 11,13-octadecadienoic and 8,10-octadecadienoic acid isomers expressed as peak area percentage.

D5 19. (Amended once) An isomerized conjugated linoleic acid composition comprising at least fifty percent conjugated linoleic acid, said isomerized linoleic acid composition being characterized in including at least 50% 9,11-octadecadienoic and 10,12-octadecadienoic acid isomers and less than one percent 11,13-octadecadienoic or 8,10-octadecadienoic acid isomers expressed as peak area percentage.

22. (Amended once) A food product comprising isomerized conjugated linoleic acid, said isomerized linoleic acid composition being characterized in including at least 50% 9,11-octadecadienoic and 10,12-octadecadienoic acid isomers and less than one percent 11,13-octadecadienoic or 8,10-octadecadienoic acid isomers expressed as peak area percentage.